

MC 4D

Perforatrice idraulica cingolata
Hydraulic crawler drill



High Tech Line




COMACCHIO

DRILLING HI-TECH

MC 4D

Allestimento Standard Standard Set-Up



Rotazione
Rotary



Rotopercussione
Rotary - Percussive



Rotazione - Rotazione
Rotary - Rotary

m.s. i.s.

Motore Engine			DIESEL		ELECTRIC	
Potenza Motore Max. Engine Power	kW	HP	55,4 - 100	75 - 134	55 - 75	74 - 100
Livello Emissioni Emission Level	Stage 3A / Tier 3 - Stage 4 / Tier 4 final Stage 5 / Tier 4 final (HT Line)					
Corsa Mast Mast Feed Stroke	mm	ft-in	900 - 2.320		2' 11" - 7' 7"	
Forza di Spinta Feed Force	daN	lbs	3.500		7,868	
Forza di Tiro Retract Force	daN	lbs	3.500		7,868	
Coppia Rotary Max Rotary Torque Range	daNm	lb*ft	850 - 1.550		6,269 - 11,432	
Giri Rotary Max Rotary Speed Range	rpm		160 - 380			
Serraggio Morse Clamp Range	mm	in	45 - 325		1" 3/4 - 12" 3/4	
Peso Perforatrice Rig Weight	kg	lbs	4.600 - 5.200		10,100 - 11,500	
Peso Centrale Power Pack Weight	kg	lbs	1.700 - 2.800		3,700 - 6,100	


MC 4D

Opzioni & Accessori Options & Accessories


Sovrapattini in gomma per cingoli <i>Rubber shoes for steel tracks</i>	Centratore guida aste <i>Rod guiding device</i>
Centrale elettrica 55/75 kW <i>Electric Power Pack 55/75 kW</i>	Argano idraulico <i>Hydraulic winch</i>
Centrale cingolata <i>Power Pack on crawler</i>	Radiocomando <i>Remote radio control</i>
Mast telescopico <i>Telescopic Mast</i>	Pompa schiumogeno <i>Foam pump</i>
Martello idraulico <i>Hydraulic drifter</i>	Lubrificatore di linea <i>D.T.H. lubricator</i>
Doppia testa <i>Double head</i>	Kit lavaggio <i>Washing kit</i>
Prolunga e timer per jet grouting <i>Extension and timer for jet grouting</i>	Saracinesca aria-elettro-idraulica <i>Electro-hydraulic air gate valve</i>
Mandrino idraulico <i>Hydraulic chuck</i>	Kit CE <i>CE Marking kit</i>
Morsa Doppia <i>Double Clamps</i>	Sistema ComNect <i>ComNect System</i>



Movimentazione Mast Mast Movements



Dimensioni di Trasporto Transport Dimensions



www.comacchio.com



Comacchio s.r.l.

Via Callalta, 24/B - 31039 Riese Pio X (TV) (Italy)

Tel +39 0423 7585 - Fax + 39 0423 755592 - sales@comacchio.com